

Work Order ID 72268

Thursday, October 06, 2011 8:38:51 AM

72268

DUPLICATE Page 1

Item ID: D4271-011 Accept ***N9000040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Fwd Beam Assembly
 Start Date: 7/20/2011 Start Qty: 3.00 ***3*** Cust Item ID:
 Required Date: 8/1/2011 Req'd Qty: 3.00 ***3*** Customer:
 Reference:

Approvals: Process Plan: mf Date: 11-10-11 Tooling: Date: Run Start ***NR1***
 QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D4271	D

100 0.00
100
 Small Fab Memo Assemble 11-10-11 2
 Small Fab

110 0.00
110
 QC Memo QC5- Inspect part completeness to step on W/O 11-10-11 2
 Quality Control

120 0.00
120
 Packaging Memo Identify as per dwg & Stock Location: 11-10-11 2
 Packaging

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 72268***72268***

Page 2

Thursday, October 06, 2011 8:38:51 AM

Item ID: D4271-011

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Fwd Beam Assembly

Start Date: 7/20/2011 Start Qty: 3.00

3

Cust Item ID:

Required Date: 8/1/2011 Req'd Qty: 3.00

3

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start ***NR1***

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

QC21- Final Inspection - Work Order Release

0.00


130

QC

Memo

0.00

Quality Control

11/10/12 ME
11-10-11

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, October 06, 2011 8:28:32 AM

Page 1

Work Order ID: 72268

Parent Item: D4271-011

Parent Item Name: Fwd Beam Assembly

Start Date: 7/20/2011

Required Date: 8/1/2011

Start Qty: 3.00

Required Qty: 3.00

Comments: IPP rev:A 10.11.18 new issue DD verf:EC IPP RevA 11.01.26 RevB dwg
EC verified by:DD IPP RevC 11.07.20 per PD1 EC verified by:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4271-025 End Fitting Assembly Fwd Beam		Manufactured	No				Each	0.0000					
D4275-1 Fwd Beam		Manufactured	No				Each	2.0000	1				
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				WA		2							
				71929		2							
AN3C12A Bolts		Purchased	No			100	Each	100.0000	6	18			
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				ST351		100							
				117514		4							
				118112		5							
				118422		17							
				118451		24							
				118838		50							
MS21043-3 Nut		Purchased	No			100	Each	955.0000	6	18			
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				FG		72							
				103691		72							
				ST301		883							
				118077		1							
				118614		492							
				118686		390							

B72266

(2x)

B74810 (2x)

48x 12

80 11-10-11

48x 12x

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, October 06, 2011 8:28:32 AM

Page 2

Work Order ID: 72268

Parent Item: D4271-011

Parent Item Name: Fwd Beam Assembly

Start Date: 7/20/2011

Required Date: 8/1/2011

Start Qty: 3.00

Required Qty: 3.00

NAS1149C0332R

Purchased

No

100

Each

3,850.0000

12

36

Washer

82 11-10-11

Location

Loc Qty

Loc Code

FP-B

7

117291

7

ST297

3843

116304

55

117460

18

117887

169

118078

2

118179

78

118354

2521

119124

1000

ste 24

Thursday, October 06, 2011 8:28:32 AM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -011	QTY -013	P/N	DESCRIPTION
	X		D4271-011	FWD BEAM ASSEMBLY
		X	D4271-013	AFT BEAM ASSEMBLY
	-	-	D4271-021	DELETED AT REVISION D
	-	-	D4271-023	DELETED AT REVISION D
1	1	-	D4271-025	FWD BEAM END FITTING ASSEMBLY
2	-	1	D4271-027	AFT BEAM END FITTING ASSEMBLY
3	1	-	D4275-1	FWD BEAM
4	-	1	D4276-1	AFT BEAM
5	6	6	AN3C12A	BOLT
6	6	6	MS21043-3	NUT
7	12	12	NAS1149C0332R	WASHER



D4271-011 FWD BEAM ASSEMBLY



D4271-013 AFT BEAM ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART IDENTIFY WITH DART P/N "D4271-0XX" AND B/N "BXXXXX" PER DART QSI 044 6.1 (FINE POINT MARKER)
- 7) WEIGHT -011: 11.02 lbs
-013: 12.97 lbs

D	DELETED -021 & -023 REPLACED BY -025 & -027 FOR Q.R. STEP INSTALLATION.	AJS	11.07.14
C	ADDED -021 & -023 FOR EASE OF CONFIGURATION MANAGEMENT. REFORMAT SEE PREV REV FOR DETAILS.	AJS	11.07.12
B	ITEM 10 CHANGED FROM AN3C12A TO AN4C13A	SC	10.12.01
A	NEW ISSUE	SC	10.11.25
REV	DESCRIPTION	BY	DATE
DESIGN	JPH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. D
MFG. APPR.	<i>[Signature]</i>	D4271	SHEET 1 OF 3
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	SUPPORT BEAM ASSEMBLIES	NTS
DATE	11.07.14	<small>COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



ITEM	QTY -025	P/N	DESCRIPTION
	X	D4271-025	FWD BEAM END FITTING ASSEMBLY
1	1	D4149-5	EYEBOLT STUD
3	1	D4281-1	SPACER
4	1	D4281-3	SPACER
5	2	D4419-1	FWD SUPPORT PLATE
6	2	AN4C13A	BOLT
7	1	MS20427M4-20	CSK RIVET (MONEL)
8	10	MS20615-4M18	RIVET (MONEL)
9	2	MS21043-4	NUT
10	4	NAS1149C0432R	WASHER



D4271-025 FWD BEAM END FITTING ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART IDENTIFY WITH DART P/N "D4271-025" AND B/N "BXXXXX" PER DART QSI 044 6.1 (FINE POINT MARKER)
- 7) WEIGHT: 2.69 lbs



RELEASED
2011-07-28

72208

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. D
MFG. APPR.		D4271	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		SUPPORT BEAM ASSEMBLIES	NTS
DATE	11.07.14	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



ITEM	QTY -027	P/N	DESCRIPTION
	X	D4271-027	AFT BEAM END FITTING ASSEMBLY
1	1	D4148-3	STUD RECEIVER LOWER
2	1	D4148-5	EYEBOLT STUD
3	1	D4281-3	SPACER
4	2	D4419-3	AFT SUPPORT PLATE
5	2	AN4C13A	BOLT
6	1	MS20427M4-20	CSK RIVET (MONEL)
7	10	MS20615-4M18	RIVET (MONEL)
8	2	MS21043-4	NUT
9	4	NAS1149C0432R	WASHER



D4271-027 AFT BEAM END FITTING ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART IDENTIFY WITH DART P/N "D4271-027" AND B/N "BXXXXX" PER DART QSI 044 6.1 (FINE POINT MARKER)
- 7) WEIGHT: 4.25 lbs



72268

RELEASED
2011-07-28

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. D
MFG. APPR.		D4271	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		SUPPORT BEAM ASSEMBLIES	NTS
DATE	11.07.14	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries